

Apéndice I: Lista de Caudalímetros Sugeridos Compatibles con AMI

Se presentan en las cuatro páginas siguientes. La CGSA ha obtenido estimaciones de precios para caudalímetros compatibles con el sistema AMI. Esta lista no es exhaustiva; es posible que otras marcas y modelos sean compatibles con el sistema AMI. Si tiene alguna duda, póngase en contacto con la CGSA para consultar sobre marcas y modelos adicionales. Estas estimaciones están fechadas; todos los precios se basan en la fecha de su recepción y es posible que ya no sean vigentes. Las tarifas arancelarias podrían afectar a estos precios.

| Caudalímetros Sugeridos Compatibles con AMI | | | | | | | | | | |
|---|---|---------------|---------------------------------|---------------|--------------------|------------------------|----------------------|--------------------------|---------------------------|-----------------------|
| Make | Model & Specifications | Endpoint Type | Meter Type | Size (inches) | Maximum Flow (gpm) | Maximum Pressure (psi) | Estimated Unit Price | Unit Price Estimate Date | Estimate Source Note | Known Vendors |
| Badger | E-series with Itron cable connector | 3-wire | Ultrasonic | 0.75 | 32 | 175 | \$263.00 | 1/1/2024 | CVWD | See APPENDIX J |
| Badger | E-series with Itron cable connector | 3-wire | Ultrasonic | 1 | 55 | 175 | \$287.00 | 1/1/2024 | CVWD | See APPENDIX J |
| Seametrics | WMPI01 DC-Powered Plastic Magmeter 1 pulse per gallon setting w/ 18' Power/Output Cable and DC Power/Output Cable, 4 pin connector (104094-006) | Pulse | Mag Meter | 1 | 110 | 150 | \$1,617.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Sensus | Omni C2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 1.5 | 160 | 200 | \$1,506.40 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Omni R2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 1.5 | 160 | 200 | \$962.00 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Omni T2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 1.5 | 160 | 200 | \$1,044.00 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Badger | E-series with Itron cable connector | 3-wire | Ultrasonic | 1.5 | 100 | 175 | \$807.00 | 1/1/2024 | CVWD | See APPENDIX J |
| Sensus | Cordonel ICF 8Wheels with Itron connector cable add on | 3-wire | Ultrasonic | 1.5 | 220 | 200 | \$2,513.35 | 5/21/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Omni C2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 2 | 160 | 200 | \$1,732.00 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Omni R2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 2 | 200 | 200 | \$1,321.00 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Omni T2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 2 | 200 | 200 | \$1,230.40 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Badger | E-series with Itron cable connector | 3-wire | Ultrasonic | 2 | 160 | 175 | \$955.00 | 1/1/2024 | CVWD | See APPENDIX J |
| Sensus | Omni T2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller - Short 10" lay length | 2 | 200 | 200 | \$1,146.40 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Cordonel ICF 8Wheels with Itron connector cable add on | 3-wire | Ultrasonic | 2 | 220 | 200 | \$2,821.75 | 5/21/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Seametrics | WMPI01 DC-Powered Plastic Magmeter 1 pulse per gallon setting w/ 18' Power/Output Cable and DC Power/Output Cable, 4 pin connector (104094-006) | Pulse | Mag Meter | 2 | 300 | 150 | \$1,793.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |

Caudalímetros Sugeridos Compatibles con AMI

| Make | Model & Specifications | Endpoint Type | Meter Type | Size (inches) | Maximum Flow (gpm) | Maximum Pressure (psi) | Estimated Unit Price | Unit Price Estimate Date | Estimate Source Note | Known Vendors |
|-------------|---|----------------------|-----------------------------|----------------------|---------------------------|-------------------------------|-----------------------------|---------------------------------|-----------------------------|-----------------------|
| Sensus | Omni C2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 3 | 400 | 200 | \$2,182.40 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Omni T2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 3 | 500 | 200 | \$1,523.20 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Badger | E-series with Itron cable connector | 3-wire | Ultrasonic - 12" lay length | 3 | 560 | 175 | \$2,214.26 | 5/2/2025 | Badger Meter Inc. | See APPENDIX J |
| Badger | E-series with Itron cable connector | 3-wire | Ultrasonic - 17" lay length | 3 | 560 | 175 | \$2,250.36 | 5/2/2025 | Badger Meter Inc. | See APPENDIX J |
| Sensus | Cordonel ICF 8Wheels with Itron connector cable add on | 3-wire | Ultrasonic | 3 | 550 | 200 | \$3,353.15 | 5/21/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Seametrics | AG3000 Flanged Mag Meter – External Plug-In Cable Connectors with DC Power/Output Cable, 4 Pin Connector (20 ft) (104094-0006) | Pulse | Mag Meter | 3 | 722 | 150 | \$2,690.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Seametrics | WMP101 DC-Powered Plastic Magmeter 1 pulse per gallon setting w/ 18' Power/Output Cable and DC Power/Output Cable, 4 pin connector (104094-006) | Pulse | Mag Meter | 3 | 670 | 150 | \$2,237.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Sensus | Omni C2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 4 | 800 | 200 | \$3,760.00 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Omni T2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 4 | 1000 | 200 | \$2,926.40 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Badger | E-series with Itron cable connector | 3-wire | Ultrasonic - 14" lay length | 4 | 1100 | 175 | \$2,695.34 | 5/2/2025 | Badger Meter Inc. | See APPENDIX J |
| Badger | E-series with Itron cable connector | 3-wire | Ultrasonic - 20" lay length | 4 | 1100 | 175 | \$2,731.82 | 5/2/2025 | Badger Meter Inc. | See APPENDIX J |
| Sensus | Cordonel ICF 8Wheels with Itron connector cable add on | 3-wire | Ultrasonic | 4 | 881 | 200 | \$5,300.15 | 5/21/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Seametrics | AG3000 Flanged Mag Meter – External Plug-In Cable Connectors with DC Power/Output Cable, 4 Pin Connector (20 ft) (104094-0006) | Pulse | Mag Meter | 4 | 1285 | 150 | \$2,881.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Seametrics | AG90 Saddle Magmeter with External Plug-In Cable Connectors and DC Power/Output Cable, 4 pin connector (104094-006) | Pulse | Saddle Mag Meter | 4 | 578 | 200 | \$2,081.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Sensus | Omni C2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 6 | 1600 | 200 | \$6,464.80 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Omni T2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 6 | 2000 | 200 | \$5,235.20 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Badger | E-series with Itron cable connector | 3-wire | Ultrasonic - 18" lay length | 6 | 2000 | 175 | \$4,062.96 | 5/2/2025 | Badger Meter Inc. | See APPENDIX J |
| Badger | E-series with Itron cable connector | 3-wire | Ultrasonic - 24" lay length | 6 | 2000 | 175 | \$4,298.18 | 5/2/2025 | Badger Meter Inc. | See APPENDIX J |

Caudalímetros Sugeridos Compatibles con AMI

| Make | Model & Specifications | Endpoint Type | Meter Type | Size (inches) | Maximum Flow (gpm) | Maximum Pressure (psi) | Estimated Unit Price | Unit Price Estimate Date | Estimate Source Note | Known Vendors |
|-------------|---|----------------------|-------------------|----------------------|---------------------------|-------------------------------|-----------------------------|---------------------------------|-----------------------------|-----------------------|
| Seametrics | AG3000 Flanged Mag Meter – External Plug-In Cable Connectors with DC Power/Output Cable, 4 Pin Connector (20 ft) (104094-0006) | Pulse | Mag Meter | 6 | 2891 | 150 | \$3,071.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Seametrics | AG90 Saddle Magmeter with External Plug-In Cable Connectors and DC Power/Output Cable, 4 pin connector (104094-006) | Pulse | Saddle Mag Meter | 6 | 1301 | 200 | \$2,157.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Sensus | Omni C2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 8 | 2700 | 200 | \$11,455.20 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Omni T2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 8 | 3500 | 200 | \$9,736.80 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Seametrics | AG3000 Flanged Mag Meter – External Plug-In Cable Connectors with DC Power/Output Cable, 4 Pin Connector (20 ft) (104094-0006) | Pulse | Mag Meter | 8 | 5140 | 150 | \$3,501.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Seametrics | AG90 Saddle Magmeter with External Plug-In Cable Connectors and DC Power/Output Cable, 4 pin connector (104094-006) | Pulse | Saddle Mag Meter | 8 | 2313 | 200 | \$2,226.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Sensus | Omni C2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 10 | 4000 | 200 | \$14,768.00 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Sensus | Omni T2 with Itron cable connector ICF 8 wheels resolution | 3-wire | Impeller | 10 | 5500 | 200 | \$12,682.40 | 5/1/2025 | Aqua-Metric Sales Company | See APPENDIX J |
| Seametrics | AG3000 Flanged Mag Meter – External Plug-In Cable Connectors with DC Power/Output Cable, 4 Pin Connector (20 ft) (104094-0006) | Pulse | Mag Meter | 10 | 8031 | 150 | \$3,954.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Seametrics | AG90 Saddle Magmeter with External Plug-In Cable Connectors and DC Power/Output Cable, 4 pin connector (104094-006) | Pulse | Saddle Mag Meter | 10 | 3614 | 200 | \$2,336.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Seametrics | AG3000 Flanged Mag Meter – External Plug-In Cable Connectors with DC Power/Output Cable, 4 Pin Connector (20 ft) (104094-0006) | Pulse | Mag Meter | 12 | 11565 | 150 | \$4,698.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Seametrics | AG90 Saddle Magmeter with External Plug-In Cable Connectors and DC Power/Output Cable, 4 pin connector (104094-006) | Pulse | Saddle Mag Meter | 12 | 5204 | 200 | \$2,426.00 | 06/09/2025 | TechnoFlo Systems | See APPENDIX J |
| Bermad | MUT2300 Battery Operated & Zero D Requirement Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 2 | 137 | 305 | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2300 Battery Operated & Zero D Requirement Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 3 | 346 | 305 | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2300 Battery Operated & Zero D Requirement Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 4 | 550 | 305 | TBD | TBD | TBD | See APPENDIX J |

Caudalímetros Sugeridos Compatibles con AMI

| Make | Model & Specifications | Endpoint Type | Meter Type | Size (inches) | Maximum Flow (gpm) | Maximum Pressure (psi) | Estimated Unit Price | Unit Price Estimate Date | Estimate Source Note | Known Vendors |
|--------|---|---------------|------------|---------------|--------------------|------------------------|----------------------|--------------------------|----------------------|-----------------------|
| Bermad | MUT2300 Battery Operated & Zero D Requirement Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 5 | 880 | 305 | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2300 Battery Operated & Zero D Requirement Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 6 | 1376 | 305 | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2300 Battery Operated & Zero D Requirement Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 8 | 3467 | 305 | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2300 Battery Operated & Zero D Requirement Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 10 | 5503 | 305 | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2300 Battery Operated & Zero D Requirement Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 12 | 5503 | 305 | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2200 Battery Operated Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 2 | TBD | TBD | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2200 Battery Operated Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 3 | TBD | TBD | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2200 Battery Operated Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 4 | TBD | TBD | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2200 Battery Operated Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 5 | TBD | TBD | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2200 Battery Operated Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 6 | TBD | TBD | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2200 Battery Operated Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 8 | TBD | TBD | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2200 Battery Operated Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 10 | TBD | TBD | TBD | TBD | TBD | See APPENDIX J |
| Bermad | MUT2200 Battery Operated Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag Meter | 12 | TBD | TBD | TBD | TBD | TBD | See APPENDIX J |
| Bermad | M10 Lightweight Composite Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag meter | 2 | 220 | 250 | TBD | TBD | TBD | See APPENDIX J |

Caudalímetros Sugeridos Compatibles con AMI

| Make | Model & Specifications | Endpoint Type | Meter Type | Size (inches) | Maximum Flow (gpm) | Maximum Pressure (psi) | Estimated Unit Price | Unit Price Estimate Date | Estimate Source Note | Known Vendors |
|-------------|---|----------------------|-------------------|----------------------|---------------------------|-------------------------------|-----------------------------|---------------------------------|-----------------------------|-----------------------|
| Bermad | M10 Lightweight Composite Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag meter | 3 | 550 | 250 | TBD | TBD | TBD | See APPENDIX J |
| Bermad | M10 Lightweight Composite Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag meter | 4 | 880 | 250 | TBD | TBD | TBD | See APPENDIX J |
| Bermad | M10 Lightweight Composite Electromagnetic flowmeter with pulse output compatible with Beacon pulse endpoint | Pulse | Mag meter | 6 | 2201 | 250 | TBD | TBD | TBD | See APPENDIX J |
| Netafim | Octave | Pulse | Ultrasonic | 2"-12" | 5500 | 230 | TBD | TBD | TBD | See APPENDIX J |
| McCrometer | Waiting on final makes/models quotes from Ryan Mahle, Inside Sales Specialist ryanma@mccrometer.com | | | | | | | | | |

Appendix J: Known Meter Vendors

When data is finalized in the List of Suggested AMI-Compatible Flowmeters Appendix I, this table can be finalized.

| Meter Make | Company Name* | City | Contact & E-mail | Phone |
|------------|---------------------------|-----------------|--|--------------------------|
| Seametrics | Coastal Pipco | Oxnard, CA | Dave Fearon or Eduardo Ramirez | 805-485-0455 |
| Seametrics | Coast Water Solutions | Oxnard, CA | Rene Garcia, Mike Meyer or Efrain Gonzalez | 805-604-9800 |
| Seametrics | RDO Equipment | Oxnard, CA | Leo or Sales | 805-366-0070 |
| Seametrics | RDO Water | Santa Maria, CA | Genesis Rojas or Brianna Freeman | 805-614-7799 |
| Seametrics | Irrigation West | Santa Maria, CA | Brian Hirase | 805-354-7000 |
| Sensus | Aqua-Metric Sales Company | Riverside, CA | Hector Gutierrez hector.gutierrez@aqua-metric.com | 951-637-1400 |
| Badger | Badger Meter | Milwaukee , WI | Danielle Carver utilitydist2@badgermeter.com | 800-616-3837 Option 1 |
| Bermad | Coast Water Solutions | Oxnard, CA | Rene Garcia, Mike Meyer or Efrain Gonzalez | 805-604-9800 |
| Bermad | CalWest Rain | Bakersfield, CA | TBD | 661-589-8800 |
| Bermad | Fruit Growers Supply | Santa Paula, CA | TBD | 805-918-4374 |
| Bermad | Coastal Pipco | Oxnard, CA | TBD | 805-485-0455 |
| McCrometer | McCrometer | Hemet, CA | ryanma@mccrometer.com | 800-220-2279 |
| Netafim | Coast Water Solutions | Oxnard. CA | Rene Garcia, Mike Meyer or Efrain Gonzalez | 805-604-9800 |

Property owners are not limited to purchasing meters from these companies. This list is providing to assist property owners with fulfilling the requirements of this Policy and provide contact information and pricing where available.

Appendix K: Maximum Flow and Pressure for Meter Sizes

When data is finalized in the List of Suggested AMI-Compatible Flowmeters Appendix I, this table can be updated and finalized.

| Meter Size (inches) | Average Maximum Flow (gpm)* | Average Maximum Pressure (psi)* | Number of Observations |
|---------------------|-----------------------------|---------------------------------|------------------------|
| 0.75 | 32 | 175 | 1 |
| 1 | 83 | 163 | 2 |
| 1.5 | 160 | 195 | 5 |
| 2 | 206 | 189 | 7 |
| 3 | 566 | 179 | 7 |
| 4 | 963 | 186 | 7 |
| 6 | 1,965 | 183 | 6 |
| 8 | 3,413 | 188 | 4 |
| 10 | 5,286 | 188 | 4 |
| 12 | 8,385 | 175 | 2 |

This data is limited to the information pulled from meters presented in the Suggested AMI-Compatible Flowmeter Table (**APPENDIX I**). It is the owner's responsibility to determine the maximum flow and maximum pressure for their specific AMI-compatible flowmeter to ensure that it works with their system. If the meter manufacturer specifies both a maximum continuous operation flow and a maximum intermittent operation flow, the property owner must utilize the maximum continuous operation flow value to determine the maximum flow through the meter.

Appendix M: List of Approved Flowmeter Accuracy Testing Contractors

| Company Name | Contact Name | Phone Number | E-mail |
|-----------------------|-----------------|--------------|--------------------------------|
| Cascade Well and Pump | Frank Giordano | 805-331-7469 | WATER@CASCADEWELL.COM |
| CJ Precision | Chad Carter | 805 342-8844 | CJP805TESTING@GMAIL.COM |
| Henshel Pump Test LLC | Nick Henschel | 817-988-6835 | HPPUMPTESTING@GMAIL.COM |
| JPR Systems | Stefani Tomatis | 415-737-5088 | STEFANI.TOMATIS@JPRSYSTEMS.COM |
| McCall's Meters | Trent | 951-654-5158 | TRENT@MCCALLSMETERS.COM |
| Coast Water Solutions | Mike Meyer | 805-604-9800 | MIKE@COASTWATERSOLUTIONS.COM |

This list is not necessarily up to date and the CGSA does not recommend, endorse, or warrant the work of any individual or company listed. Not all companies may be insured. The information listed may have changed and it is the owner's responsibility to ensure that all work is done in accordance with this Policy and that the paperwork is completed, signed, and legible. If the owner finds a different company, they may contact the CGSA to obtain approval and be added to this list.

Appendix N: List of Local Companies for Flowmeter Installations

| Company Name | Contact Name | Phone Number | E-mail |
|--|--|----------------|---------------------------------|
| A & A Pump & Well Service | Angel Renteria | 805-560-0292 | OFFICE@AAPUMPWELL.COM |
| Alexander Pump Service Inc | Jenn/Bobby | 805-717-1970 | OFFICE@ALEXANDERPUMPSERVICE.COM |
| Anacapa Plumbing | Estefani Lazano: Office Manager Ryan Williams: Lead Tech Sharin Kurstin: Owner | 805-570-4041 | SERVICE@ANACAPAPLUMBING.COM |
| Cascade Well & Pump Co | Frank Giordano | 805-331-7469 | WATER@CASCADEWELL.COM |
| McCall & M/M an Emcor Service Mesa Energy Company | Colin Rhine | (805) 745-1126 | CRHINE@EMCOR.NET |
| Coast Water Solutions | Mike Meyer | 805-604-9800 | MIKE@COASTWATERSOLUTIONS.COM |

This list is not necessarily up to date and the CGSA does not recommend, endorse, or warrant the work of any individual or company listed. Not all companies may be insured. The information listed may have changed and it is the owner's responsibility to ensure that all work is done in accordance with this Policy and that the flowmeter is installed to meet flowmeter requirements. The property owner is not required to use these companies and may use alternate companies if desired or do the installation themselves. All work must be done in accordance with the manufacturer's specifications.

Approved Flowmeter Calibration Contractors
(for flowmeters within the Fox Canyon Groundwater Management Agency)

ABT Applied Backflow Technologies

(Note: Non-invasive, in place, sonic device testing)

P.O. Box 4193
Ventura, CA 93007
Contact: Lori A. Frost, Owner
Office: (805) 647-5603
FAX: (805) 647-3872

CJ Precision Inc.

(Note: Non-invasive, in place, flow testing)

CJ Precision Inc.
Camarillo, CA 93010
Contact: Chad Carter, Owner
Cell: (805) 342-8844; email cjp805testing@gmail.com

Dick Munns Company

10572 Calle Lee, Suite 138
Los Alamitos, CA 90720
Contact: Rick Munns or Mike Schmidt
Office: (714) 827-1215

Henschel Pump Test LLC

(Note: Non-invasive, in place, pitot tube/manometer method, sonic device testing)

108 Panoramic Ct.
Aledo TX, 76008
Contact: Nicholas Henschel or Ryan Ayerle
Nicholas Henschel Cell: (817) 988-6835; email hpumptesting@gmail.com
Ryan Ayerle Cell: (805) 421-3903

McCall's Meters

1498 Mesa View Street
Hemet, CA 92543-1896
Contact: Rick Bremer, Manager or Ric Parsons, Product Specialist
Office: (951) 654-5158
Rick Bremer Cell: (951) 830-7186

McCrometer

(Note: Tests McCrometer and Water Specialties Corporation Meters; bench testing only for Water Specialties brand name meters)

3255 West Stetson Avenue
Hemet, CA 92545
Contact: Customer Service
Office: (951) 652-6811
Toll Free: (800) 800-8804

Measurement Control Systems, Inc.

1331 South Lyon Street
Santa Ana, CA 92705
Contact: Milo Clark
Office: (714) 835-0995
Cell: (714) 936-4207

Approved Flowmeter Calibration Contractors
(for flowmeters within the Fox Canyon Groundwater Management Agency)

ProUsys

(Note: Non-invasive, in place, Mag Meter only, flow testing)

2793 Munson St.

Camarillo, CA 93010

Contact: Scott Rupert, Senior Project Engineer

Cell: (805) 231-6211; email srupert@prousys.com

Sparling Instruments, Inc.

(Note: Bench-testing only for Sparling brand meters of all sizes)

4097 North Temple City Blvd.

El Monte, CA 91731-1089

Contact: Justine Aldridge

Office: (626) 444-0571